

Combi


F-180 Baby Soft Carrier

Instruction Manual

1 way




2 way



3 way



4 way



For safety of your children, read this instruction manual carefully and use the baby carrier accordingly. After reading please keep this instruction manual for future reference. Please also attach this user guide in case the carrier is to be transferred to others to use.













Before use

Thank you for purchasing Ninna Nanna 4-way 8-style baby soft carrier. This product is a general single-baby carrier designed for cradling or back-carrying the baby during shopping or outdoor activities. Before use, please read "naming of components" in page 6 and check out the parts.

- This product can be applied in several carrying positions including cradling, face-in cuddling, face-out cuddling and back carrying.

■ This product is suitable for a child who meets the following conditions

Using styles	Age reference					Weight
	new born	neck muscle has developed	sit straight	12 months	30 months	
Way 1: Cradle position style 1 						Below 7.0kg
Way 2: Face-in cuddling position style 2 style 3 style 4 	 					Below 11.3kg
Way 3: Face-out cuddling position style 5 style 6 	 					Below 11.3kg
Way 4: Back carrying position style 7 style 8 						Below 14.9kg

※ The waist size of user should not exceed 110cm.

※ The product may not be applicable to particular baby with extraordinary body size and having heavy coat in winter. Please choose appropriate clothes to your baby accordingly.

For your safety

Caution about safety

The caution items mentioned here are about how to use the product properly and safely so as to prevent any possible injury to user and baby and any damage to the product. Moreover, the caution items are categorized according to the degree of injury and damage to the product and are indicated as "Warning" and "Caution" respectively.

Caution and using conditions mentioned below are very important. Please read and follow accordingly.



WARNING

Improper operation may directly cause death or severe damage.



CAUTION

Improper operation may cause injury or damage to the product.

Details of the caution item are written inside the frame (page 2-4)

 This sign indicates there is warning or caution item mentioned.

WARNING

Please choose a safe place to seat and unseat the baby to avoid the baby from falling off accidentally.



When the carrier is in use, please do not run, jump, lean forward for more than 45 degree, or lean to the side. Otherwise, there is a danger that baby may fall down.



Please fix the shoulder buckle and the waist buckle on both sides while in use.

Otherwise, there is a danger that baby may fall off if the shoulder belt is detached from the shoulder.



Please use cradle-use cushion while cradling and use cuddle-use cushion while cuddling or back carrying.



Please do not use the cradle position for the following babies:

- Baby with weight exceeding 7.0kg.
- Baby with head uncovered by head guard during cradle-use cushion setting.
- Baby with habit turning from side to side in bed. Failure to do so may become cause of accidents.



In cradle position, support the baby's head with one hand in case the feet of baby are in a higher position than its head. Improper cradling may exhaust the baby or cause accidents.



For your safety (continued)

WARNING

Before use

The hook of the U-shape support must be passed through the D-ring and secured by the hook outlet while cradle position is in use. Otherwise, there is a danger that baby may fall off the carrier.



While in cuddling or back carrying position, make sure to adjust the "Depth adjustment belt" to proper length, in case the shoulder of baby is too tight leaning against the head support belt, which may in turn become cause of accidents.



Cuddling and back carry position should not be used for baby whose neck muscle has yet to develop. Otherwise, unexpected damage will be inflicted to the baby* neck.



Please support the baby with one hand while cuddling to prevent the baby from accidentally falling off.



Please make sure the holding belt is secured. Otherwise, there is a danger that baby may fall off the carrier..



Please tighten the "Safety belt" on both sides while cuddling or back carrying. If the space in between the user and baby is too large, or the lengths of the belt ends are different, there is a danger that baby may fall off the carrier accidentally.



Please adjust the projected belt end of the "head support belt" until it touches at the extension point of the belt. Do not extend the belt further or the baby may have chance to fall off accidentally.



Please do not re-structure the product. Otherwise, it may cause accidents while used.



CAUTION

Please do not use the carrier continuously for over 2 hours, or within 30 minutes after breastfeeding. Otherwise, unexpected burden will be inflicted to user or baby. Also, please stop using the carrier immediately in case of any pain and discomfort.



In case of any damage of product found, please stop to use it to avoid accidents.



Please do not leave the product near fire or unattended outside. Otherwise, the buckle or other fabric parts may be deteriorated by heat or rain and it may cause accidents while used.



Please do not use this product for the purposes other than cuddling or back carrying to avoid any damage to the product.



While cuddling or back carrying, in case the depth adjustment belt is set to maximum length "Securing tape" must be used to prevent the space between user and baby too large.



Please adjust the shoulder belt and safety belt such that the remainders from both sides are about the same length. Otherwise, unbalanced belts from both sides may make the baby tilt to one side.



In case of using face-out cuddling position, width adjustment snap must be used to secure baby position for preventing blood congestion on thigh of the baby.



Please adjust the depth adjustment belt such that the remainders from both sides are about the same length. Otherwise, unbalanced belts from both sides may make the baby tilt to one side.



Please set the length of "Base vest" to shortened state while cuddling and set to lengthened state while back carrying. Otherwise, unexpected burden will be inflicted to the user.




Using styles of "4-way 8-style new birth baby carrier"

There are different combinations of components below for "4-way 8-style New Birth Baby Carrier" Also, "4-way 8-style" is classified in accordance with the age of baby and using methods.

Before use


Combination of product

Cradle-use cushion
(U-shape support)



Length adjustment snap at lengthened state while used.

Base vest



● Way 1: Cradle position


style 1




From birth until neck muscle has developed.

Combination of product

Cuddle-use cushion



Base vest



Length adjustment snap of "Base vest" should be set to shortened state while cuddling and set to lengthened state while back carrying

● Way 2: Face-in cuddling position

style 2



From neck muscle developed

style 3



style 4



From sitting straight

● Way 3: Face-out cuddling position

style 5



Head support belt


style 6



From neck muscle developed

● Way 4: Back carrying position

style 7



From sitting straight

style 8



From neck muscle developed

※ Please refer to page 21 for the details about the length of head support belt.

● Please check the content of the package.


The content of the package is the following. Please check before using.

- Base vest
- Cuddle-use cushion (with 2 hook cover)
- Cradle-use cushion
- Manual (this book)
- U-shape support
- Quick Manual


Naming of components

Cradle-use cushion (U-shape support)


● U-shape support



Cuddle-use cushion



Base vest




Adjustment methods of components

To ensure "New Birth Baby Carrier" to be used under the best conditions, the following is the explanation of the adjustment methods of "Base vest" and "cuddle-use cushion".



Before use

Base vest




Adjust the length of shoulder belt

- To shorten the belt, raise the buckle and pull out the end of the belt.
- To lengthen the belt, raise the buckle and pull back the belt.




Adjust length adjustment snap

- Length adjustment snap can be used to change the length of vest for "Cuddling" or "Back carrying" mode.



Shortened state <cuddling>





Lengthened state <back carrying>

Cuddle-use cushion

Adjust the length of depth adjustment belt

- If the shoulder of baby is pressed by head support belt of cuddle-use cushion, please lengthen the depth adjustment belt to enlarge the size of cushion.



- 1 Draw out the depth adjustment belts from both sides in same length.
- 2 Pull out the end of the cloth.

Adjust width adjustment snap

- In case of using under face-out cuddling position, use the width adjustment snap to decrease the width size in order to prevent blood congestion on thigh of the baby.

Face-out cuddling position Face-in cuddling position
Back carry position



Narrow state

Wide state



Cradle position

- Before using cradle position, user should wear the base vest and put the baby inside cradle-use cushion.
- Length adjustment snap should be set at shortened state.
- The installation method of U-shape support in cradle-use cushion (refer to page 9) is applicable to both left-cradling and right-cradling. The following is the explanation of left-cradling method.



Left cradling



Right cradling

Parts required


- Cradle-use cushion (U-shape support is installed.)
- Base vest (Length adjustment snap is set at shortened state.)

Preparing the base vest

1 Secure the waist buckle

Wind the waist belt to the back. Use the buckle to fix and adjust the length of the belt.


Please adjust the length until the pad of the base vest is fixed at the lower abdomen.



2 Secure the shoulder buckle

Wear the base vest fit to the chest. Place the shoulder belt in cross position at the back. Use the shoulder buckle to fix and adjust the length of the belt. (Please refer to page 7 for the "Adjustment of length of shoulder belt")

Please fasten the belt tightly so that the upper part of the base vest is fit to the body.



WARNING

Please fix the shoulder buckles on both sides for preventing the baby from falling down.

CAUTION

Please adjust the shoulder belt such that the remainders from both sides are about the same length. Unbalanced belts from both sides may make the baby tilt to one side.




Use of carrier by cradling

Cradle position

Checking of Base Vest

Please check the following points after wearing the base vest:

- ① The part of shoulder belt near the chest should be fit to your body.
- ② Length adjustment snap should be set at the shortened state.
- ③ Waist belt and pad should be fixed well at lower part of abdomen.




Putting a baby into cradle-use cushion.

1 Prepare cradle-use cushion and U-shape support

Take the D-ring of the U-shape support first and then insert it into the insertion outlet of cradle-use cushion (Same for right-cradling). Use the snap to fix the position (both sides)

※ Illustration below is based on left-cradling.




2 Put a baby in sleeping position and fix the holding belt.

Put a baby in sleeping position inside cradle-use cushion placed at a safe place. Lay the protective pad on the baby and pass the holding belt through the belt insertion outlet. Use the buckle to fix the position.

When a baby is put in sleeping position:
Please place the hip of baby at the "Hip seat of baby" as illustrated.



Hip seat of baby




⚠ WARNING

Please ensure the "Buckle of the holding belt" is fixed well to prevent the baby from falling down.

3 Checking installation of protective pad.


Make sure there is sufficient space (2-3 fingers can be inserted) between the protective pad and the baby. Please adjust the length of the holding belt if it is too tight or too loose.



Cradling a baby

1 Passing the hook from the lower direction


User should stoop down first and hold the hook of the U-shape support. Then, ① Pass it from the lower direction through the D-ring positioned at the left-chest of the base vest. ② Pass it from the lower direction through the D-ring of U-shape support. ③ Hang it up with the hook outlet of the belt. The hook is fixed completely until a "Click" sound is produced.



- When right-cradling is used, the hook of the U-shape support should be passed through the D-ring positioned at the right-chest of the base vest.
- The mechanism of the D-ring stopper allows the detached hook stopped at the D-ring.

2 Hanging up crotch belt hook

The crotch belt hook of the cradle-use cushion should be hanged up with the D-ring positioned at right-chest of the base vest. The hook is fixed completely until a "Click" sound is produced.



Crotch belt hook




Use of carrier by cradle position

3

Cradling a baby

Use your hands support the head and the hips of the baby at the same time and then raise your body to cradle the baby.

Please adjust the length of the crotch belt if you want to change the positioning angle of the baby. When the belt is in shortened state, the body of the baby will be in level position. When the belt is in lengthened state, the hip-side of the baby will be lower.




! WARNING


When cradling the baby, use one hand to support the baby's head and make sure the baby's head is in a higher position than the feet. Failure to do so may exhaust the baby or become the cause of accident.

Use of D-ring stopper

- When you want to cradle the baby in level position, use the stopper closer to your chest.



- When you want to cradle the baby slightly facing inward, use the stopper away from your chest.



Cradle position completed



Unfastening method

Use the opposite steps of installation to unfasten it.



Face-in cuddling position

- Cuddling position is divided into [Face-in cuddling position](P.13) and [Face-out cuddling position](P.16).
- When use in cuddling position, one should put on the base vest to which the cuddle-use cushion has been attached, and then seat the baby into the carrier.
- The length adjustment snap must be snapped in shortened position for either face-in or face-out position.
- Newborn baby whose neck muscle has not yet developed should use in cradle position.

way 2

Parts required


- Cuddle-use cushion
- Base vest (Length adjustment snap in shortened position)

Preparing the base vest

1

Setting the cuddle-use cushion

Fasten the 2 lower buckles (male) on the cuddle-use cushion to the centre belt buckle (female) on the base vest. Secure the snap.



When the baby is growing bigger

● Adjust the depth adjustment belt

Extend the depth adjustment belt to increase the sitting depth of the cuddle-use cushion when the baby is growing bigger with its shoulders starting to lean against the head support. (Refer to P.7 to adjust the depth adjustment belt)

⚠ WARNING

The baby may have chance to fall off the carrier if the sitting depth of the cuddle-use cushion is too shallow.


⚠ CAUTION

Make sure both left and right side of the belt end is of same length. Any imbalance may cause the baby to fall off.

● Apply the securing tape

After adjusting the depth adjustment belt, set the lower end of the cuddle-use cushion through the securing tape on the base vest.

※ Check if the fabric is too thick to pull through the securing tape.



⚠ CAUTION

Make sure to apply the securing tape when the depth adjustment belt is completely extended.

Face-in cuddling position

(After neck muscle has developed until ~ around 11.3kg)



Face-in cuddling position

2

Secure the waist buckle (Refer to P.8 Step 1)

Pull the waist belt round to the back and fasten the buckle. Adjust the belt to a suitable length.

3

Secure the shoulder buckle (Refer to P.8 Step 2)

Fit the base vest tight to your body. Round the shoulder belt to the back, cross over one with another and then fasten the buckle. Adjust the shoulder belt to suitable length. (Refer to P.7 to adjust the shoulder belt)


CAUTION

Please adjust the shoulder belt such that both the left and right extending belt ends are of the same length. Failure to do so may cause the baby to tilt to one side.

Checking of base vest

Please check the following points after wearing the base vest:

- ① Shoulder belt should fit tight to your body.
- ② Length adjustment snap should be set at the shortened position.
- ③ Waist belt and pad should fit tight to your waist part securely.




4

Pull one of the safety buckle through the D-ring and fasten it

- ① Pull the safety buckle through the D-ring on the base vest from the lower side and
- ② secure it back to the cuddle-use cushion.



For safety purpose, the safety buckle is designed to be automatically secured at the D-ring when it gets detached accidentally.



Seat the baby into the cuddle-use cushion

1

Cuddle the baby

Cuddle the baby facing in and seat it into the cuddle-use cushion.

WARNING

Operate at a safe place to avoid the baby from accidentally falling off.




2

Secure another safety buckle

1 Pull the safety buckle through the D-ring on the base vest from the lower side and 2 secure it back to the cuddle-use cushion.

WARNING


Safety belt must be tightened
The baby may have chance to fall off if the gap between the baby and parent is too large, or if the length of the left and the right belt end are different from each other.




3

Secure the holding buckle

Set the holding buckle on the cuddle-use cushion through the parent and the base vest and secure it firmly.

 Make sure to leave a gap of around 2 ~ 3 adult fingers width in between the holding belt and the baby. Adjust the belt when it is too loose or too tight.





Face-in cuddling position



5

Secure the head support hook


Secure the head support hooks, one at each side, to the outlets on the base vest until a "Click" sound is heard.

Detaching the head support hook

Reverse the steps to detach the head support hook.



Face-in cuddling position completed



Application of the head support

style 2



The head support can support the baby's head when it is asleep.

style 3



Fold the head support outward to widen the baby's vision while securing its neck.

style 4



Head support belt

Fold the head support outward completely and the baby can extend its hands from above. The head support belt must be completely extended in such usage.

※ The 4th style can be applied after the baby can sit up straight.



Face-out cuddling position

Preparing the base vest

Put on the base vest referring to [face-in cuddling position] step 1 to step 3 (P.12~).

way 3


1

Tighten the crotch part of the cuddle-use cushion

Secure the width adjustment snap to tighten the crotch part of the cuddle-use cushion.

CAUTION

Make sure to adjust the crotch part or it may cause discomfort to the baby.




2

Pull one of the safety buckle through the D-ring and fasten it

1 Pull the safety buckle through the D-ring on the base vest from the lower side and 2 secure it back to the cuddle-use cushion.



For safety purpose, the safety buckle is designed to be automatically secured at the D-ring when it gets detached accidentally.



Seat the baby to the cuddle-use cushion

1

Cuddle the baby

Cuddle the baby facing out and seat it into the cuddle-use cushion.



Face-out cuddling position

(After neck muscle has developed until ~ around 11.3kg)



Face-out cuddling position

2

Secure another safety buckle

Pull the safety buckle through the D-ring on the base vest from the lower side and secure it back to the cuddle-use cushion.

⚠ WARNING

Safety belt must be tightened
The baby may have chance to fall off if the gap between the baby and parent is too large, or if the length of the left and the right belt end are different from each other.


3

Secure the holding buckle

Set the holding buckle on the cuddle-use cushion through the parent and the base vest and secure it firmly.



Make sure to leave a gap of around 2 ~ 3 adult fingers width in between the holding belt and the baby. Adjust the belt when it is too loose or too tight.



Holding belt



Holding buckle

4

Secure the head support hook

Secure the head support hooks, one at each side, to the outlets on the base vest until a "Click" sound is heard.

Detaching the head support hook

Reverse the steps to detach the head support hook.

Face-out cuddling position completed



Application of the head support

style 5



The head support can secure the baby's shoulder.

style 6



Fold the head support outward completely and the baby can extend its hands from above. The head support belt must be completely extended in such usage.

※ The 4th style can be applied after the baby can sit up straight.



Back carry position

- When use in cuddling position, one should put on the base vest to which the cuddle-use cushion has been attached, and then seat the baby into the carrier.
- The length adjustment snap must be snapped in extended position.
- Newborn baby whose neck muscle has not yet developed should use in cradle position.


- Parts required**
- Cuddle-use cushion (Head support belt must be set to the back carry position / as demonstrated)
 - Base vest (Length adjustment snap in extended position)

way 4

Back carry


(After neck muscle has developed ~ around 14.9kg)

Preparing the base vest




1 Extend the base vest

Release the length adjustment snaps on the lower part of the base vest, ① pull out the base vest and ② secure it back to the snaps for back carry position.



2 Setting the cuddle-use cushion


Fasten the 2 lower buckles (male) on the cuddle-use cushion to the centre belt buckle (female) on the base vest. Secure the snap.



When the baby is growing bigger with its shoulders starting to lean against the head support, Extend the depth adjustment belt to increase the sitting depth of the cuddle-use cushion. Apply also the securing tape when the adjustment belt is pulled out completely. (Refer to P.12)

3 Secure the waist buckle

Pull the waist belt round to the front and fasten the buckle. Adjust the belt to a suitable length.



Set the pad on the base vest such that it fits well to the waist.




Back carry position

4

Secure the shoulder buckle


Fit the base vest tight to your body. Round the shoulder belt to the back, cross over one with another and then fasten the buckle. Adjust the shoulder belt to suitable length. (Refer to P.7 to adjust the shoulder belt)



Checking of base vest

Please check the following points after wearing the base vest:

- ① Shoulder belt should fit tight to your shoulders.
- ② Length adjustment snap should be set at the extended position.
- ③ Waist belt and pad should fit tight to your waist part securely.
- ④ Head support belt has been set to back carry position.



5

Put off the base vest temporarily.


Release the waist buckle and put off the base vest.

CAUTION Do not release the shoulder buckle at this stage.

6

Pull one of the safety buckle through the D-ring and fasten it

- ① Pull the safety buckle through the D-ring on the base vest from the lower side and
- ② secure it back to the cuddle-use cushion.



Seat the baby to the cuddle-use cushion


1

Cuddle the baby

Cuddle the baby facing in and seat it into the cuddle-use cushion.

WARNING

Operate at a safe place and pay attention in case the baby may fall off accidentally.




2

Secure another safety buckle

1 Pull the safety buckle through the D-ring on the base vest from the lower side and 2 secure it back to the cuddle-use cushion.

WARNING

Safety belt must be tightened
The baby may have chance to fall off if the gap between the baby and parent is too large, or if the length of the left and the right belt end are different from each other.




3

Secure the holding buckle

Set the holding buckle on the cuddle-use cushion through the parent and the base vest and secure it firmly.

- Make sure to leave a gap of around 2 ~ 3 adult fingers width in between the holding belt and the baby.
- Adjust the belt when it is too loose or too tight.







Back carry position

4

Secure the head support hook

Secure the head support hooks, one at each side, to the outlets on the base vest until a "Click" sound is heard.

Adjust the head support belt and set the belt end as demonstrated.



Head support hook

⚠ WARNING

Make sure to set the head support belt. Belt that is too loose may cause the baby to fall off accidentally during use.

Back carry

Back carry the baby


1

Carry the baby on the back

It is strongly recommended to accompany another person to assist when carrying the baby.

When carrying the baby alone



Set the baby on a safe surface like sofa. Get hold of the upper part of the shoulder belt and lift the baby.



2

Secure the waist buckle

Pull the waist belt round to the front and fasten the buckle. Adjust the belt to a suitable length.




Detaching the waist buckle

Reverse the steps to detach the waist buckle.



Use the belt stopper to secure the belt end.

Make sure to secure the belt end into the belt stopper in back carry position.



Back carry position completed



Application of the head support

style 7



Fold the head support outward to widen the baby's vision while securing it's neck.

style 8



The head support can support the baby's head when it is asleep.

Please contact local distributor for enquiries.

Combi Corporation