

Combi




Baby Soft Carrier K-58

.....

Instruction Manual

For safety of your children, read this instruction manual carefully and use the baby carrier accordingly. After reading please keep this instruction manual for future reference.

Please also attach this user guide in case the carrier is to be transferred to others to use.



Before use

Thank you for purchasing Ninna Nanna K-58 baby soft carrier. This product is a general single-baby carrier designed for carrying a baby during outdoor activities in face-in cuddling position. Before use, please read "Naming of components" and check out the parts accordingly.

This product is suitable for a child who meets the following conditions

(Body size and weight of babies may vary.)

Face-in cuddling position.

after neck muscle has developed

Until 38 months old
(15.0 kg)

Weight : Below 15.0 kg

Age reference : After baby can sit straight (until around 38 months old)

※ The waist size of user should not exceed 110cm.

Maintenance

About cleaning and daily maintenance

- Use cold or warm water to wash the product, and flat dry in shade area.
- Use a damp cloth to wipe off the dirt.

⚠ CAUTION

Wash the product as soon as possible if exposed to baby's saliva, of the exposed part may harden and cause discomfort to baby.

For your safety

Caution about safety

The caution items mentioned here are about how to use the product properly and safely so as to prevent any possible injury to user and baby or any damage to the product. Moreover, the caution items are categorized according to the degree of injury and damage to the product and are indicated as "Warning" and "Caution" respectively.

Caution and using conditions mentioned below are very important. Please read and follow accordingly.

⚠ WARNING

Improper operation may directly cause death or severe damage.

⚠ CAUTION

Improper operation may cause injury or damage to the product.

- Details of the caution item is written inside the frame.
- ⚠ This sign indicates there is a warning or caution item.
- ✗ This sign indicates there is a prohibited action.

Points to note when washing

- Do not wash the product together with other clothes or soak in water for a long time, as the product may have slight decolorization.
- Do not use bleach or fluorescent brightener.
- Use only hand wash. Do not put the product into washing machine or drying machine to avoid damage to buckle parts etc..
- Do not use iron.

■ Washing labels



■ Material

Outer part :	Inner part :	Belts :	Buckles :
Nylon 88%	Polyester 85%	Polypropylene	Polycetal
Polyester 12%	Nylon 15%		

This product should not be used for baby whose neck muscle has yet to develop or baby unable to sit straight without support. Otherwise, unexpected injury will be inflicted to baby.



Please make sure the shoulder belt buckle and waist belt buckle are fixed. Otherwise, there is a danger that baby may fall off the carrier accidentally.



Please do not use the carrier continuously for more than 2 hours, or within 30 minutes after breastfeeding. Otherwise, unexpected burden will be inflicted to baby.



⚠ WARNING

Please support the baby with one hand while cradling to prevent the baby from accidentally falling off.



Please make sure the baby sit properly inside the carrier to prevent the baby from falling off accidentally.



Please leave the hands of baby outside the shoulder belt while used. Otherwise, there is a danger that baby may fall off the carrier accidentally.



Please sit on a safe place to seat or unseat the baby to avoid the baby from falling off accidentally.



Please adjust the length of shoulder belt such that the space between the user and baby is not too large. Otherwise, there is a danger that baby may fall off the carrier accidentally.



When the carrier is in use, please do not run, jump, lean forward for more than 45 degree, or lean to the side. Otherwise, there is a danger that baby may fall off.



Please make sure the holding belt is secured while using. Otherwise, there is a danger that baby may fall off the carrier.



Please do not re-model the product. Otherwise it may become cause of accidents.



⚠ CAUTION

Please do not put hard or edged things inside the carrier pocket while in use. Otherwise, unexpected burden will be inflicted to baby.




Please stop using the carrier immediately in case of any pain or discomfort.



Please do not use this product for purposes other than cuddling a baby to avoid any damage to the product.




In case of any damage of product found, please stop using it to avoid accidents.




Please do not leave the product near fire or unattended outside. Otherwise, the buckle or other fabric parts may be deteriorated by heat or rain, which may in turn cause accidents while in use.





■ Pulling out the seat surface

Open the seat surface storage zipper and pull out the seat surface.



■ Using as a bag.

The shoulder belt can be applied to use as a shoulder bag or waist bag.


<Shoulder bag>

Please use the shoulder belt buckle and ladder to adjust the length of shoulder belt.



<Waist bag>

Please use the shoulder belt buckle and ladder to adjust the belt length in accordance with the waist size of user.



Adjusting the length of shoulder belt

● Shortening the belt

Raise the child with one hand such that the weight of baby will not add on the belt. Then use another hand to pull out the end of the belt as shown in the demonstrated direction.




New feature

Using the Swing Stopper System (patent pending) • To unseat a sleeping baby quietly and smoothly.

⚠ WARNING

Please sit on a safe place to seat or unseat the baby to avoid the baby from falling off accidentally.

1 Using another hand to unlock the shoulder belt buckle while holding the baby.



Lengthen the shoulder belt until the belt buckle is stopped by the D-ring.



(The baby can be unloaded provided that the space of unloading area is extremely sufficient.)

● Lengthening the belt

Raise the bottom part of the shoulder belt buckle (or ladder) such that it becomes perpendicular to the belt. Then use another hand to pull out the end of the belt as shown in the demonstrated direction.


■ Shoulder belt buckle



■ Ladder



- 2 ① Slide the D-ring cover downward.
- ② Open the lid of D-ring
- ③ Use another hand to pass the shoulder belt buckle through the D-ring.



- 3 Unseat the baby to a safe place.




※ The swing stopper system is only applicable to right shoulder cradling.

Face-in cuddling position

- 1** Put on the shoulder belt as illustrated.
(Beware not to over-tighten the shoulder belt.)




- 2** Release the seat surface storage zipper, pull out the seat surface and fasten the waist belt buckle as shown.



⚠ WARNING

Seat the baby into the carrier after sitting on a safe place. Hold the loop and pull it up such that the baby sits deep into the carrier.

- 3** Hold the baby with a hand as shown, and use the other hand to tighten the shoulder belt end to adjust the length. Make sure the baby's body is not leaning against the shoulder belt which may affect proper adjustment.



⚠ WARNING

Cover the D-ring, and pull the shoulder pad to the front to cover the shoulder belt buckle. According to different body sizes, there are cases that the shoulder pad is not covering the shoulder part when it is set to cover the shoulder belt buckle.

- 4** Tighten the shoulder belt to prevent the baby from accidentally falling off during use.



⚠ WARNING


Adjust the length of the supporting belt to fit the baby. A proper gap of around one finger's width should be left.

- 5** Pull the waist belt to make sure it is secured before use. Otherwise the baby may have chance to fall off from the carrier accidentally during use.

※ Make sure to sit down before seating the baby to avoid any accidents that may happen during the seating process.




- 6** Lift the pocket, release the supporting belt buckle, and fasten it at the front side after passing the belt below the armpits of baby.




⚠ WARNING

Make sure to apply the supporting belt. Otherwise the baby may have chance to fall off during use.

- 7** Tighten the shoulder belt to prevent the baby from accidentally falling off during use.



Unseating from face-in cuddling position


 In case the shoulder belt buckle is found touching at the baby or the carrying person, release the carrier at a safe place first and adjust the ladder (that used to adjust the shoulder belt length) which is located at the opposite side of the shoulder belt buckle.

● **When the shoulder belt buckle is too high and touching at the shoulder**


Pull on the shoulder belt end such that the shoulder belt buckle comes down to a proper position. Use the ladder to adjust the shoulder belt length.

● **When the shoulder belt buckle is too low and touching at the D-ring**

(It may become difficult to unseat the baby if the shoulder belt buckle is too close to the D-ring.) Release the shoulder belt end, lift the shoulder belt buckle to a proper position and use the ladder to adjust the shoulder belt length.


 **WARNING**
Make sure to sit down first before unseating the baby to prevent the baby from accidentally falling down during the process.

1 Sit down on a safe place and release the supporting belt buckle.




2 Hold the baby with one hand and release the shoulder belt buckle with another.




 **WARNING**
Make sure to hold the baby with one hand when releasing the shoulder belt buckle to prevent the baby from accidentally falling off during the process.

Lengthen the shoulder belt until the shoulder belt buckle stops at the D-ring.

(You may unseat the baby at this stage if there is enough space to do so.)



3 ① Lower the D-ring cover.
② Lift the D-ring cap, and then
③ Use another hand to pass the shoulder belt buckle through the D-ring.



4 Unseat the baby in a safe place.



Combi Corporation