

Combi

Combi Ninna Nanna Magical Compact Fast SK-V/ Magical Compact SK-V Baby Soft Carrier Instruction Manual

Cradling position



Face-in
cuddling position



Face-out
cuddling position



Back carrying
position



※ Cradling is possible only by Magical Compact Fast.



WARNING-FALL HAZARD
警告・跌倒危険

- SMALL CHILDREN CAN FALL THROUGH A LEG OPENING. FOLLOW INSTRUCTIONS FOR USE.
- FOR MAGICAL COMPACT FAST SK-V, ONLY USE FOR CHILDREN BETWEEN 3.4 KG (7.5 LBS) TO 14.9 KG (32.8 LBS).
FOR MAGICAL COMPACT SK-V (VERTICAL CUDDLING), ONLY USE FOR CHILDREN BETWEEN 7.4 KG (16.3 LBS) TO 14.9 KG (32.8 LBS).
(GROWTH DEVELOPMENT MAY VARY ACCORDING TO BODY SIZE AND WEIGHT OF BABIES, SUGGESTED TO USE MAGICAL COMPACT SK-V (VERTICAL CUDDLING) FOR BABY WHOSE NECK MUSCLE HAS WELL DEVELOPED).
- CHILD MUST FACE TOWARDS YOU UNTIL HE OR SHE CAN HOLD HEAD UPRIGHT.

INDEX

Before use

Before use	1
For safe use of our product	1
Name of parts	5
Convenient usage	6
Adjustment method of each part	7

Cradling position (only for Magical Compact Fast)

(From birth until neck muscle developed)	
Preparation for cradling	8
How to use for cradling	9

Face-in cuddling position

(After neck muscle developed up to 11.3kg)	
Preparation for face-in cuddling	12
How to use for face-in cuddling	12

Face-out cuddling position

(After neck muscle developed up to 11.3kg)	
How to use for face-out cuddling	18

Back carrying position

(After neck muscle developed up to 14.9kg)	
How to use for back carrying	20

Maintenance

Maintenance	Back cover
-------------------	------------



CAUTION

- Please thoroughly read this manual before use and use the product appropriately, otherwise such a misuse may injure baby.
- Please keep this manual at a convenient place for immediate reference.
- If you pass this product to others, please make sure to attach this manual to the product.

Maintenance

Daily maintenance

- Use water or warm water to wash carrier. After washing, shape it properly and lay it on shaded area to dry.
- Use a piece of damp cloth to wipe off small dirt.



CAUTION

When baby's saliva is adhered to the fabric, please clean it as soon as possible to avoid the fabric from becoming hardened. Hardened fabric may inflict discomfort to the baby.

Caution about washing

- Wash carrier separately from other colored items to prevent color degradation. Do not soak carrier in water for a long time.
- Do not use bleach or fluorescent brightener as both of which may become potential discomfort to baby. It is recommended to use Combi's detergent series.
- For cradling sheet, please separately wash it from other laundries as Velcro (male) may damage others.
- Do not put carrier into washing machine, spinning machine or drying machine, all of which may cause damage to buckle.
- Refer to the washing label sewn on the product for the appropriate washing methods and materials details of carrier.

Before use

Thank you for purchasing Combi Ninna Nanna Magical Compact Fast SK-V/ Magical Compact SK-V baby soft carrier. This product is a generic single-baby carrier designed for cradling, cuddling or back carrying a baby during shopping or outdoor activities. Proper placement of child in product including leg placement. Before use, please read "Name of parts" in P.5 and check out the parts accordingly. Read all instructions before assembling and using the soft carrier. Keep instruction for future use.

● Magical Compact Fast can be used for cradling, face-in cuddling, face-out cuddling, or back carrying a baby.

● For customers who have purchased Magical Compact

• This product can be used for face-in cuddling, face-out cuddling or back carrying a baby.

• Please thoroughly read the parts related to face-in cuddling, face-out cuddling and back carrying. (For actual usage, please refer to P.12 to 22.)

• The pouch containing the product can be used as a simple knapsack but heavy materials should not be carried.

● Age reference for applicable baby

(Baby's body size may vary according to different growing speed.)

Carrying style	Age reference					Weight
	0M	Neck muscle developed	Waist muscle developed	12M	30M	
Cradling ※ only for Magical Compact Fast	From birth until neck muscle developed (up to about 4 months)					Up to 7.0kg
Face-in cuddling	After neck muscle developed (up to about 12 months)					Up to 11.3kg
Face-out cuddling	After neck muscle developed (up to about 12 months)					Up to 11.3kg
Back carrying	After neck muscle developed (up to about 30 months)					Up to 14.9kg

※ Particular babies in bigger body size may not fit for carrier in winter times when wearing thicker clothes. Please choose clothes for baby carefully before using the carrier.

※ In case of cradling, a baby's height shall be under 64cm.

For safe use of our product

Caution about safety

The caution items mentioned here are about how to use the product properly and safely so as to prevent any possible injury to user and baby and any damage to the product. Moreover, the caution items are categorized according to the degree of injury and damage to the product which are indicated as "warning" and "caution" respectively.

Caution and using conditions mentioned are very important. Please read and follow accordingly.



Improper operation may directly cause death or severe damage.



Improper operation may cause injury or damage to the product.

□ Details of the caution item is written inside the frame (P.2 - P.4)

△ This sign indicates there is a warning or caution item.

X This sign indicates there is a prohibited action.


WARNING

Make sure to secure the following buckles and hooks when use. Otherwise baby may fall off from carrier accidentally while in use.

●Cradling


(※ Applied only to Magical Compact Fast)

- Head support hook (left and right)
- Safety buckle




●Face-in and face-out cuddling

- Head support hook (left and right)
- One-touch buckle
- Bridge buckle



●Back carrying

- Head support hook (left and right)
- Bridge buckle




Please try as much as possible to tighten the following belts to fit user's body.

Any gap in between baby and user and/or imbalanced length of the left and right belt may cause baby to fall off from the carrier while in use.

●Cradling


(※ Applied only to Magical Compact Fast)

- Shoulder straps (side belts) left and right
- Safety buckle




●Face-in and face-out cuddling

- Shoulder straps (side belts) left and right



●Back carrying

- Shoulder straps (side belts) left and right



To be continued




! WARNING

Please seat or unseat baby at a safe place to avoid the baby may fall off accidentally.



When the carrier is in use, please do not run, jump, lean forward for more than 45 degree, or lean to the side. Otherwise, baby may accidentally fall off from the carrier.



In cradle or cuddle position, always support baby with your hands. Baby's unexpected movement may cause it to fall off from the carrier.



Cradle position is not applicable to the following babies.

- Baby weighing more than 7.0 kg.
- Baby's head protrudes out of head guard when seated.
- Baby who can turn around itself without aid.


Situation shown above may cause injury to baby.




In cradle position, make sure baby's head is in a higher position than its feet, and do support the baby's head with one hand. Improper cradling may exhaust the baby or become cause of injury.



In cradle position, keep the left and right head support belts in the shortest length. Otherwise the baby's head position may go lower than its feet and may cause it to fall off from the carrier.



Cuddling is not applicable to baby whose neck muscle is not yet developed, otherwise may exhaust the baby or become cause of injury.




Remove the cradling sheet when cuddling baby. Otherwise the cradling sheet may press on baby's head.



CAUTION

In cuddling or back carrying position, if baby's shoulder reaches head support, pull baby's hip closer to user. Otherwise, it may cause baby to fall off from the carrier.




Please do not use the carrier continuously for more than 2 hours, or within 30 minutes after breastfeeding. Otherwise, unexpected burden will be inflicted to user or baby.



Please stop using the carrier immediately in case of any pain and discomfort. Especially mothers at nursing period, DO NOT carry the baby at the back by crossing the shoulder straps at the breast which may be over pressed.



Stop using the product immediately in case of any damage of product is found.



CAUTION


If the head support is folded in cuddling position, please do not let baby's arms stretch out over the head support. Otherwise, baby may accidentally fall off from the carrier.



In cradle or cuddle position, carefully watch your step.



Please do not leave the product near fire or unattended outdoor. Otherwise, buckles or other fabric parts may be deteriorated by heat or rain which may in turn become cause of accidents.





Please do not use this product for the purposes other than those advised in this manual to avoid any damage to the product.




Name of parts

Carrier




Storing bag

For storing the carrier.
Please refer to "How to use
Rolling Compact Bag" on P.6.




Cradling Sheet

※ Attached to Magical Compact only.



Condition taken out from the sales package




When open the sales package, cradling sheet is already attached to carrier, which allows cradling use immediately.

※ Applicable only to Magical Compact Fast.

Convenient usage

How to use Rolling Compact Bag (storing function)

Easy way to store carrier into a compact size



❶ After taking out storing bag, fold shoulder straps and side belts into the inside sheet of carrier.


✕ It becomes easier to fold it by putting head support closer to the user.

❷ Equally fold carrier upward into one third in length.

❸ Put the folded carrier into storing bag, and pull the strings to tighten the opening.

How to use belt-holding band


Excess of side belt can be folded and tied by belt-holding band.




How to use crotch cover

✕ applicable only to Magical Compact Fast


In use for cradling, the excess of side belts or ladder locks can be stored in crotch cover.



Adjustment method of each part





Excess of head support belt can be stored into the inner sheet as illustrated.





Adjust shoulder straps (side belts) length

- For making it shorter, lift the ladder lock vertically and pull out the excess of side belt.
- For making it longer, lift the ladder lock vertically and pull back the side belt.



Adjust head support belts length

- For making it shorter, lift the head support hook vertically and pull out the excess of head support belt.
- For making it longer, lift the head support hook vertically and pull back the head support belt.



WARNING

In cradling position, keep the left and right head support belts the shortest. Otherwise the baby's head position may be lower than its feet and may cause it to fall off from the carrier. (※ Applicable only to Magical Compact Fast.)


Preparation for cradling

✕ Applicable for cradling baby with Magical Compact Fast.

Check installation condition of cradling sheet

Although a cradling sheet is set upon opening the package, make sure to check the check points illustrated on the right.

- ✕ After check, store the excess of head support belt into the inner side of sheet, and close head support cover by the left and right cover snaps.




Adjust shoulder strap (side belt) length


Before seating baby, adjust side belt length by ladder lock to have shoulder strap fits user's body.

Hold both left and right shoulder belts together and wear on one shoulder across the other side of waist.


- ✕ Store one-touch buckle in shoulder belt.



When carrier's position is too low, shorten shoulder strap (side belt).



When carrier's position is too high, extend shoulder strap (side belt).




- ✕ Side belt is made twisted to better fit user's body.
- ✕ Store belt ends and ladder locks inside inner side of crotch cover and secure crotch snap (Refer to P.6).

How to use for cradling ※ It can be used for both left-headed and right-headed cradling. Hereunder left-headed is explained.

1 Seat baby onto cradling sheet.

Open carrier at a safe place and seat baby inside after releasing the safety buckle of the cradling sheet.




WARNING

Seat baby at a safe place. Seating or unseating baby at an unsafe place may cause baby to fall off the carrier.

2 Have baby's both legs going through the left and right groin belts.

Pulling groin belts can extend the band inside so that it becomes easier to have legs going through.


Have baby's arms going through in between shoulder strap and head support.



※ Cradling is possible without having baby's arms stretch out.

3 Buckle up the safety belts.

Fasten safety buckle until a "click" sound is heard, and adjust the length of safety belt.




WARNING

Secure safety buckle, otherwise baby may accidentally fall off from the carrier.


4 Cradle baby.

Standard tightness of safety belt

The standard tightness of safety belt can be made by securing rooms for 2 to 3 adult's fingers (up to the second joint).




Put on shoulder strap across shoulder as shown below. Use hands to support baby's head and hip, and then lift up yourself.



5 Check installation condition.

Ensure the carrier is securely worn by the aid of mirror.

Check ✓ Point




WARNING

Make sure the above points, otherwise baby may accidentally fall off.


How to use for cradling

To unseat baby from cradle position

1. Put down baby and then put off shoulder strap.
Support baby with hands and put down baby at a safe place. Put off shoulder strap.





2. Release safety buckle.
3. Pull baby's both arms and legs out of carrier and put out baby.



How to remove cradling sheet

Cradling sheet is initially attached to carrier in sales package. Please remove it by the following steps before washing, cuddling, or back carrying.

1. Open the left and right head support covers, and release the snaps (1 on each side).
2. Release crotch snaps (2 sets) on crotch cover.
3. Release Velcro on the back side of sheet, and remove the sheet from carrier.



When install cradling sheet

Please follow the above steps in a reversed order (Step 3 → 2 → 1).

Before securing crotch snaps at the end, make sure to store excess of side belts and ladder locks into crotch cover (Please refer to "How to use crotch cover" on P.6).




WARNING

When attaching cradling sheet, please ensure snap, crotch snap and Velcro already secured.
In case the cradling sheet comes off when it is in use, baby may accidentally drop off from the carrier.

Preparation for face-in cuddling

- ※ For Magical Compact Fast, remove cradling sheet before use.
- ※ For Magical Compact, roll up storing bag and put it into the pocket.

1. After confirming the left and right support hooks are secured, fix the 2 sets of cover snaps on the head support cover.
2. Take out the bridge belt and bridge buckle (male).




How to use for face-in cuddling

Seating baby before putting on carrier

- 1 Seat baby on the carrier, and have baby's arms and legs stretch out as illustrated.

Please seat the baby into carrier at a safe place.



WARNING

Seating or unseating baby at an unsafe place may cause baby to fall off from the carrier.


To be continued



How to use for face-in cuddling

2 Secure bridge buckle.

Secure the bridge buckle until a “click” sound is heard.




Check ✓/Point



Are the left and right side belts going through baby's crotch?



3 Wear shoulder strap, and buckle up.

As shown below, hold the left and right buckles, lean forward and secure buckle behind user's neck until a “click” sound is heard.



4 Adjust carrier to fit user.

Try to adjust side belt such that left and right belt end are in same length. Set shoulder strap and side belt properly. Please refer to P.7 “Adjust shoulder straps (side belt) length”.



5 Check installation condition.

Ensure if the carrier is securely worn by the aid of the mirror.

Check ✓ Point

● Securely fastened?

☑ Head support hooks (left and right)

☑ Bridge buckle




☑ One-touch buckle



● Tight enough to fit user's body?

☑ Left and right shoulder straps (side belts)



● About baby

☑ Isn't baby's shoulder pressed by head support?

☑ Isn't baby's armpit pressed by sheet?

☑ Isn't baby's thigh pressed by sheet?



WARNING

Make sure the above points, otherwise baby may accidentally fall off.



WARNING

Make sure the above points, otherwise baby may be choked, get scratched, or injured.



CAUTION

Make sure the above points, otherwise baby's armpit and/or thigh may be congested with blood.

Use folded head support

Outside folded head support allows baby broaden its view while supporting baby's neck.



Head support hooks

In case baby's shoulder is pressed by head support

Pull up only the sheet, and hold baby's hip closer to user for adjusting the room between head support and baby's shoulder.

※ Please stop using this product if baby's shoulder is still pressed after adjustment.

In case baby's armpit and/or thigh is pressed by carrier's sheet

Pull down only the sheet for adjusting the room between sheet and baby. If the condition is not improved, please insert a towel under baby's hip to raise the level of baby's hip.

(After neck muscle developed up to 11.3kg)


How to use for face-in cuddling

Putting on carrier before seating baby

- ✕ For Magical Compact Fast, please remove cradling sheet before use.
- ✕ Please refer to P.7 "Adjustment method of each part" for how to adjust the head support belt.

1 Put on carrier.


Wear shoulder strap on shoulder, then secure one-touch buckle on user's back until a "click" sound is heard.




If it is difficult to fasten one-touch buckle on back, it is alternatively recommended to wear the carrier after fastening the one-touch buckle in advance.

2 Adjust the length of side belt to fit user's body, and slide down one of shoulder belts.

Release the left and right head support hook and bridge buckle.



- ✕ Releasing cover snap in advance make it easier to fix head support hook.



3 Seat baby into carrier, and have its legs go through the groin belts.

User should sit down at a safe place first. Lift up baby facing to user, and seat baby into carrier from the top. Have baby's legs going through the groin belts.




WARNING

Seat baby into carrier at a safe place. (It is recommended to have a third person to assist the operation.) Seating or unseating baby at an unsafe place may cause baby to fall off the carrier.

4 Wear shoulder strap on shoulder, and secure head support hook.

Put the shoulder belt on shoulder, and fix the head support hook over baby's shoulder until a "click" sound is heard.




✕ If cover snap has been released, secure it again after fixing head support hook.

5 Secure bridge buckle.

Fasten the buckle until a "click" sound is heard.

Adjust excess of side belt such that left and right belt end are in same length. Set shoulder strap and side belt properly.



6 Check installation condition.

Refer to "Check Point" under Step 5 on P.14.


How to use for face-in cuddling

The way to release face-in cuddling

1 Release buckle, and remove shoulder strap.


Sit on a safe place. Support baby with one hand and release buckle, then remove shoulder straps.

※ To release buckle, press the inserted part from inside.



2 Place baby on a safe place and release bridge buckle.

Press a part printed "PRESS" on the bridge bell to release bridge buckle.



3 Remove baby's arms and legs from carrier, and unseat baby.

Pull groin belt, and have baby's legs removing from the groin belts. Remove baby's arms from carrier and lift up baby.

(After neck muscle developed up to 11.3kg)

How to use for face-out cuddling


- ※ For Magical Compact Fast, please remove cradling sheet before use.
- ※ Please refer to P.7 "Adjustment method of each part" for how to adjust the head support belt.


1 Put on carrier.

Refer to Step 1 and 2 of "Putting on carrier before seating baby" on p.15 for the preparation.

2 Seat baby into carrier, and have its legs going through the groin belts.

User should sit down at a safe place first. Lift up baby facing out, and seat baby into carrier from the top. Have baby's legs going through the groin belts.







WARNING

Seat baby into carrier at a safe place. (It is recommended to have a third person to assist the operation.) Seating or unseating baby at an unsafe place may cause baby to fall off the carrier.

3 Wear shoulder strap on shoulder, fold head support and secure head support hook.

Put the shoulder belt on shoulder, and fold head support to outer side. Secure the left and right head support hook until a "click" sound is heard.





WARNING

In face-out cuddling position, make sure to fold head support. Otherwise, baby may be choked.


To be continued 

How to use for face-out cuddling

4 Secure bridge buckle.

Fasten the buckle until a “click” sound is heard.

Try to adjust excess of side belt such that left and right belt end are in same length. Set shoulder strap and side belt properly.



5 Check installation condition.

Ensure the cuddling position is appropriate by the aid of mirror.

Check ✓ Point

● Securely fastened?

- ☒ Head support hook
- ☒ Bridge buckle
- ☒ One-touch buckle

● Tight enough to fit user's body?


- ☒ Left and right shoulder straps (side belt)



Make sure the above points, otherwise baby may accidentally fall off from carrier.

● About baby

- ☒ Isn't head support covering baby's mouth?
- ☒ Isn't baby's armpit pressed by sheet?



In case baby's mouth is covered by head support and/or armpit is pressed by sheet.

Pull down the lower part of sheet for adjusting the room between head support and baby's mouth or seat and baby. If the condition is not improved, please insert a towel under baby's hip to raise the level of baby's hip.

How to release face-out cuddling

Please follow the steps of “How to use for face-out cuddling in a reversed order (Step 4→3→2 on P.19 and 18).

1. Press a part printed “PRESS” on the bridge belt to release bridge buckle. (See Step 4 on P.19)
2. Remove the left and right head support hook, and take off one side of shoulder strap. (See Step 3 on P.18)
3. Remove baby's legs from carrier, and unseat baby. (See Step 2 on P.18)


How to use for back carrying

- ※ For Magical Compact Fast, please remove cradling sheet before use.
- ※ Please refer to P.7 "Adjustment method of each part" for how to adjust the head support belt.

1 Seat baby into carrier.

Please refer to Step 1 and 2 "How to use for face-in cuddling—Seating baby before putting on carrier" (P.12 and 13) to seat baby on carrier.

Check ✓ Point

-  Are the left and right side belts passing through baby's crotch?



WARNING

Seat baby into carrier at a safe place. (It is recommended to have a third person to assist the operation.) Seating or unseating baby at an unsafe place may cause baby to fall off the carrier.

- ※ Please hold the end of shoulder strap where joins the carrier body.




2 Carry baby.

When standing up with a baby carried on back, securely hold the end of shoulder straps where joins to the carrier body.

- ※ It is recommended to have a third person to assist the operation.

3 Adjust side belt to fit user.

Try to adjust excess of side belt such that left and right belt end are in same length. Set shoulder strap and side belt properly.



To be continued



How to use for back carrying

4 Check installation condition.


Ensure the back carrying position is appropriate by the aid of mirror.

Check ✓ Point

● Securely fastened?

✓ Head support hook (left and right)

✓ Bridge buckle



● Tight enough to fit user's body?

✓ Left and right shoulder straps (side belt)



WARNING

Make sure the above points, otherwise baby may accidentally fall off from carrier.



In case of back carrying, please check baby's condition every half an hour.

In back carrying position (especially for younger baby), as user is unable to see the baby, please try to unload baby every 30 minutes and check its condition.



● About baby

✓ Isn't baby's shoulder pressed by head support?

✓ Isn't baby's armpit pressed by sheet?

✓ Isn't baby's thigh pressed by sheet?



WARNING

Make sure the above points, otherwise baby may be choked, scratched or injured.



CAUTION

Make sure the above points, otherwise baby's armpit and/or thigh may be congested with blood.

In case baby shoulder is pressed by head support

Pull up only the sheet, and hold baby's hip closer to user for adjusting the room between head support and baby's shoulder.


※ Please stop using of this product if baby's shoulder is still pressed after adjustment.

In case baby's armpit and/or thigh is pressed by carrier's sheet

Pull down only the sheet for adjusting the room between sheet and baby. If the condition is not improved, please insert a towel under baby's hip to raise the level of baby's hip.

Back carrying by Cross Style

It is possible to back-carry baby by Cross Style by extending side belts and fix one-touch buckle in front of user's lower part of chest to fit user's body.



When user feels painful and/or uncomfortable, please immediately stop using the product. Meantime, please do not try Cross Style back carrying to avoid pressure on user's breast when user is in lactation period.

How to release back carrying

※ In case of back carrying position by Cross Style, please firstly release one-touch buckle.

1. Unload baby from back.

※ It is recommended to have a third person to assist the operation.




Please hold the end of shoulder strap where joins the carrier body.



2. Place baby on a safe place and release bridge buckle.

Press a part printed "PRESS" on the bridge belt to release bridge buckle.



3. Remove baby's arms and legs from carrier, and unseat baby.

Pull groin belt, and have baby's legs removing from the groin belts. Remove baby's arms from carrier and lift up baby.